

superb

▶ DP-8045

may photocopy



Digital Imaging Systems

High Speed up to 45 ppm
Digital Printing / Copying

Standard Network
Printer / Scanner / Internet Fax

Standard Document Handling Software

Easy to Use Graphical Interface

Enhanced Security Features

Panasonic ideas for life

8045

You want to get the job done easier, faster, more efficiently? Panasonic has the solution! Presenting the DP-8045 – the high-performance “seamless” integration of scanning, printing, copying, faxing and document management.

Featuring enhanced digital data security and an innovative easy to use design, our office workhorse harnesses the power of imaging communication in a single console. Answering the increased demands for electronic documents, the DP-8045 is equipped with network scanning and internet fax capabilities. Furthermore, it comes with versatile document handling software for easy handling of data once scanned into your networked PC. Network ready and up to 45 ppm high speed printing, the DP-8045 can truly be called “masterful”.



Productive printing and copying • Powerful network scanning • Enhanced security • Easy to use design

45 ppm High Speed Digital Imaging Systems



High Performance Printing and Copying

- Up to 45 ppm
- Up to 85 sheet
Inverting ADF Standard for
double-sided copying
- Standard Network Printing



Versatile Network Scanning

- Standard Network Scanning
 - Scan & Send to PC or email
 - Scan & Archive to server
- Standard Internet Fax



Powerful Document Handling & Distribution

- Quick Image Navigator for easy
and quick document handling
- Optional Document Distribution
System for powerful document
distribution



Ease of Use Design

- Large LCD Graphical User Interface
- Easy to Lift ADF Handle
- Tactile cues for the visually impaired



Improved Security

- Standard Network User Authentication
- Standard Hard Disk Data Erasure
- Mailbox/Secure Mailbox printing
- Job Tracking with Network
Accounting Manager




may photocopy

versatile printing


> Speed, versatility and connectivity

Robustly engineered to handle day-to-day volume demands of today's office environment, the DP-8045 produces high-quality output at up to 45 ppm (Letter size). Equipped with a built-in duplex unit, this Ledger-class platform comes out of the box with 10Base-T/100Base-TX network connectivity to give all users on your network immediate access to the printer.



> Simple, friendly and on your desktop

Right at your desktop, you have full control of the DP-8045's versatile printing performance. The graphical printer drivers provide a friendly and intuitive interface for sending print jobs. And to prevent costly errors, there is a handy preview to double-check settings before committing to a complex job.



> You know it's ready

With the desktop printer Device Monitor, you can check the current status of the DP-8045 without leaving your desk. When toner is low or the paper tray is empty, users can respond immediately and avoid costly downtime, especially when those rush jobs are in the pipeline.



> Total solution from start to finish

With the optional Finisher, the DP-8045 can automatically perform your choice of a variety of binding selections from stapling and hole punching to saddle stitching. Enjoy freedom from outside contractors and the versatility and convenience of your own in-house on-demand printing. Everything from manuals to quality conference materials and guidebooks can be produced from start to finish right from your desktop.




all-around copying

▶ Accelerate double-sided workflow

With Double Exposure + Digital Skyshot, you can make copies of double-sided documents such as ID cards on a single sheet of paper, and do it with the platen cover open and without toner-wasting black borders. You save time, paper and toner, and get beautiful results.

With Double Exposure



First Pass Image 1

Second Pass Image 2



2

Images combined on a single sheet



huge paper capacity of up to
> 6,250 sheets

▶ When time is critical

The DP-8045 prints at a blazing speed of up to 45 Letter-size copies per minute. Every second counts in today's business environment, and you don't have time to refill empty bins, so the DP-8045 comes with ample capacity of 2,150 sheets with options to increase maximum capacity to as much as 6,250. With the DP-8045, you know you have a copier that is fast enough to keep up with your business and flexible enough to grow with your needs.

▶ Swift copying

The DP-8045 features a built-in duplex unit and high-speed inverting automatic document feeder combined with innovative functions like Double Exposure, SkyShot, N-in-1 Copy, to expand the scope of digital copying. A variety of sort options can save you valuable time and increase your productivity.

▶ Catch the mistake before it costs you

The DP-8045 has features like Proof Copy to prevent costly errors. Just select Proof Set in the basic menu and get a sample set to check before committing to a mass-copying job. Helping you avoid mistakes and improving your productivity is the Panasonic way.

▶ Disperse your workload

When copying large quantities of documents you can easily disperse your workload to another registered machine on the same network, in order to save valuable time. If you are running two machines (DP-8060/DP-8045/DP-8035)*3 on the same network, split your print job to two different machines in order to cut your print time in half.


*3 Same option structure is required for both machines





powerful scanning & distributing

▶ Scanning – the first step toward versatile imaging communication

The DP-8045 offers high speed, high volume scanning with a built-in inverting ADF, and also enables you to distribute documents through easy operation of the LCD touch panel. “Scan & Send” documents as email attachments (PDF, TIFF) to other internet Fax-capable*4 platforms or even multiple email clients, or “Scan & Archive” directly into a PC or an FTP server on the LAN at up to a high 600 dpi resolution.



*4 Internet Fax supports TIFF format only



▶ Leverage your network resources

If your company is running an LDAP (Lightweight Directory Access Protocol) server, you can access and retrieve desired recipient email addresses from the company's database directly from the control panel, which eliminates the need to program the address book and gives you virtually unlimited address capacity!

▶ New document handling & collaboration tool

Our Quick Image Navigator software has faster and more intuitive image handling capabilities including PDF previews. You can view, annotate, edit and send the image files – all with one easy-to-use application right from your desktop. Featuring a Windows Explorer-like document structure, it helps you put your documents to work immediately.




▶ Toward a “paperless” office – PC Fax*5

The DP-8045 streamlines faxing with convenient PC Fax transmission direct from your PC desktop. With the PanaFax Desktop software, you also can take advantage of “paperless” fax reception and a fax address book compatible with other databases.

*5 Requires optional Fax Communication Board

▶ Streamline your document management and distribution

The DP-8045 is much more than a high-performance MFP. It is also the heart of an efficient management organization and can distribute all documents, from scanned image data and inbound faxes to general office documents. When receiving inbound faxes the data will be saved directly to the server and automatically distributed to specified folders. These files can then be easily viewed online keeping to a “paperless” work environment. With the Document Distribution System software, you can also set up document routing according to your needs so the documents can be distributed automatically.



“digital age” security

> Know your users

User Authentication not only bolsters security and ease of administration by using the same user names and passwords registered in your Windows Active Directory server database, but it also enables the setting of usage restrictions on printing and copying for more efficient cost management and control.


> Keep track of work

The optional Network Accounting software collects and tabulates log information data such as number of prints, scans, copies and faxes. Office administrators can obtain valuable insight from analysis of period totals for each job, output tabulations by department and user. With the optional Network Accounting Manager you can keep track of machine use by department or individual which makes keeping track of usage much easier.



> Erase completely

Technology has not only opened up possibilities for digital imaging, but also increased the possibility for the leak of confidential information. Hard Disk Data Erasing closes the door on one potential leak by automatically overwriting image data of each completed copy and print job with zeroes and random data. Also if the equipment is retired, you can use this function to securely erase the entire Hard Disk including its address book data.



> Data Security Kit

The optional Data Security Kit can reinforce your machine's overall security. For example, with the Hard Disk Drive Lock function you can set your own password, which would protect your Hard Disk from any outside access even when the Hard Disk is detached. You can also fortify the password certification with the Key Operator Mode to make your machine even less vulnerable.

> Send it to the Mailbox

To prevent viewing of confidential information in the output tray, you can send ID-registered print jobs to a shared "Mailbox" on the Hard Disk. The job will not be printed until a user enters the matching ID on the operation panel. For an added level of security, you can add password protection for a "Secure Mailbox".

> Designed for virtually everyone

From the design of the hardware to software, designing products to accommodate everyone is a top priority at Panasonic. We've incorporated Braille indicators to help ease paper drawer identification for the visually impaired and overall, engineered our equipment to be more accessible to those with disabilities. We also make our platforms easier for everyone to use, such as the improved user interface and "easy lift" ADF handle – it all adds up to equipment that welcomes everyone.





Braille indicators for easy identification

Easy lifting ADF handle



Intuitive Graphical User Interface





DP-8045 Options

Printer Options	
Printer Controller Module	DAP C 00
Multi-Page Description Language Controller Module	DAM D 00
Facsimile Options	
Fax Communication Board	DAF G 00
Ram Memory (4MB)	UE4 0 00F
Ram Memory (8MB)	UE4 0 08F
Memory Options	
Image Memory (16MB)	DA5 M1 0
Image Memory (4MB)	DA5 M0 0
Image Memory (128MB)	DA5 M2 0

Software Options	
Accounting Software	DAW L 0
Document Distribution System	DAW R 0
Document Distribution System Ultra Kit Module	DAW D 0
ID Server Software	DAW S 0
Other Options	
Data Security Kit	DA S 0 1
Key/Guote/Hamas Kit	RE E 2 5 0


Consumables	
Timer	DQ-TB 3 R
Developer	DQ-ZA 0 R
Dum	DQ-H 0 0 R

DP-8045 Specifications

General	
Type	Semi-Console
Copy/Print Process	Laser Indirect Electrostatic
Developing Process	Dry Du o Component
Automatic Document Feeder	85 sheets (Letter, 20 lb, 75 g/m ²)
Paper Feed	Std. 1550 (large-capacity tray) + 550-sheet paper tray unit + 50-sheet bypass
Paper Weight	Max. 6,20 sheets (20 lb, 75 g/m ²) with option Paper Tray: 16 to 24 lb, 60 to 90 g/m ² Bypass: 15 to 35 lb (55 to 130 g/m ²)
Security	New and the authentication: Supported Protocols (SMTP, LDAP, NTLM) Data Security: HDD Overwrite Memory Erasure Fax Memory Erasure
Power Requirements	AC 120V, 60 Hz, 12 A Max.: less than 1.45 kW
Power Consumption	Power save mode: Approx. 190W Sleep mode: Approx. 35W
Warm-up Time (68°F/20°C)	Approx. 180 sec (Main power switch ON)
Dimensions (W x D x H) ¹⁾	23.6" x 29.8" x 35.4" (600 x 757 x 900 mm) (Including optional equipment) (Including Automatic Document Feeder and ADF mounting bracket)
Weight (Including optional equipment) ²⁾	Approx. 304 lb (138 kg)
Printer	
Network Printer Interface	Ethernet 10Base-T/10Base-TX, Bi-directional Parallel (IEEE 1284)
Communication Protocol	TCP/IP (IPD (Port 900/RAW), SNMP (MIB)) IPX/SPX ³⁾ (NDS, Bindery, ND IS) AppleTalk (PPS, IPP (PCL, PS))
Print Language (standard)	Panasonic Printing System for Windows [®]
(option)	PCL5e Emulation ⁴⁾ PCL6 Emulation ⁵⁾ Adobe PostScript [®] 3 ⁶⁾
Printing Speed ⁷⁾	up to 45ppm
Paper Size	Paper Tray: Ledger - Invoice Bypass: Ledger - Invoice
Printing Resolution	1,200dpi equivalent @ 60 dpi (RCL PS), @ 600dpi @ 60 dpi (RCL IS, G)
Print Memory	50MB + 6GB for Spooling
Compatible Client Operating Systems	Windows XP, 2000, Server 2003, Windows NT 4.0 Mac OS 8.6-10.4 (PS Only)
Compatible Network Operating Systems	Windows 2000, Windows Server 2003, Windows NT 4.0

Digital Copier	
First Copy Time	Approx. 4.5 sec. (Letter)
Resolution	Up to 600 dpi
Gray Scale	256 steps
Multi Copy Speed ⁸⁾	up to 45 cpm
Maximum Original Size	Ledger
Copy Size	Ledger - Invoice (if feed)
Copy Ratio	Enlargement (if feed) 200%, 155%, 129%, 121%
	Reduction (if feed) 79%, 77%, 65%, 61%, 50%
Zoom (variable)	25-400% (in 1% increments)
Multiple Copy	1 to 999, Automatic reset to 1
Exposure Control	Text, Text / Photo Photo
Sort Memory	Standard: 32MB (Imaging Memory) + 12GB (HDD) Optional: 16MB/64MB/128MB (Max. 160MB)
Network Scanner	
Network Scanner Interface	Ethernet 10Base-T/10Base-TX
Communication Protocol	TCP/IP (PP, F/P)
Maximum Scanning Size	Ledger
Scanning Speed ⁹⁾	Approx. 450ppm (Originals per minute @ Letter port with ADF)
Scanning Resolution	150 dpi x 150 dpi, 300dpi x 300 dpi, 600 dpi x 600 dpi
Compatible Operating Systems	Windows XP, 2000, Server 2003, Windows NT 4.0
Data Format	TIFF, PDF
GS Fax (Option)	
Compatibility	ITU-T Group 3, ECM
Modem Speed	33.6 - 2.4 kbps with automatic fallback
Coding Scheme	JBIG/MMR / MR / MH
Scanning Speed ¹⁰⁾	Approx. 0.7 sec. (Letter print rate in Standard or Fire mode with ADF)
Transmission Speed ¹¹⁾	Approx. 2.7 sec.
Scanning Resolution	Standard: 203 dpi x 99 (8) dpi (8 dots/mm x 7.7 lines/mm) Fine: 203 dpi x 119 (8) dpi (8 dot/smm x 7.7 lines/mm) Super fine: 406 dpi x 311 (8) dpi (16 dot/smm x 15.4 lines/mm) 600 dpi: 600 dpi x 600 dpi
Maximum Original Size	Ledger
Effective Scanning Width	10.7" (274 mm)
Recording Resolution	600 dpi x 600 dpi
Standard Memory ¹²⁾	3MB (Approx. 80 pages)
Optional Memory ¹³⁾	Base memory plus 4MB (320 pages) / 8MB (640 pages)

Internet Fax / Scan-to-Email¹⁴⁾	
Compatibility (Internet fax)	IEFRFC 3965, ITU-T137
Communication Protocol	TCP/IP (SMTP, POP3, IMAP)
Network Connectivity	Ethernet 10Base-T/10Base-TX
Data Format	TIFF-RX (PostScript), PDF ¹⁵⁾



Notes

- Dimensions and weights are approximate.
- Compatible with the following: Windows XP, Windows Server 2003, Windows NT 4.0.
- Printer Controller Module, Multi-Page Description Language Controller Module, and optional module are required.
- Multi-Page Description Language Controller Module is optional.
- Speed is contingent upon applications, machine configuration, and data. Individual pages may vary.
- Scanning speed applies to the leading edge of the page from the top. The end of the page is scanned last.
- The time for the leading process does not include the time for the page to be scanned. The page to be scanned is not included in the page to be scanned.
- Transmission time applies to the entire page. Time for entire page is not applied.
- Transmission time applies to the entire page. Time for entire page is not applied.
- Resolution (FUJIFILM) is scanned in Standard mode.
- Depending on these features, the document may be printed at a resolution of 600 dpi.
- Internet fax only supports TIFF format.

Designated specifications are subject to change without notice.

Microsoft, Windows, Windows XP, Windows Server, and Internet Explorer are registered trademarks of Microsoft Corporation. Adobe, PostScript, PostScript 3, PDF, and PostScript 3 are registered trademarks of Adobe Systems, Inc. Apple, AppleTalk, and AppleTalk are registered trademarks of Apple Computer, Inc. All other trademarks are the property of their respective holders.

The Product is designed to be used with the standard software provided with the Product.

